

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6443555".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/25 15:02
L2	42	"6439908" and (chamber same module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/25 15:13
L3	3	"6439908" and (chamber with (ink or liquid) with module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/25 15:13
L4	3	"6439908".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/25 15:15
L5	2	"6281912".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/25 15:27
L6	2	"6557976".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/25 15:27
S1	110	"6439908"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/10 15:03
S2	2	"20050157074"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/18 10:54
S3	3	"347"/\$3.ccls. and conductive adj strips same twice same conductive adj strips	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/03 11:25

S4	63	"347"/\$3.ccls. and (conductive or conduction) near6 (strips or pieces) same twice near6 (connection or connecting) near6 (pieces or strips)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/03 11:27
S5	74	(conductive or conduction) near6 (strips or pieces) same twice near6 (connection or connecting) near6 (pieces or strips)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/03 11:27
S6	1	"20020186285" "6796731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/03 12:26
S7	11	"20020186285" "6796731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:02
S8	0	"2343415" "615845"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/03 12:27
S9	27	"2343415" "615845"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S10	16	"1991017051" "2001042026" "2001064441" "2001064444" "2001089849" "2002076748"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 12:27
S11	0	"347"/\$3.ccls. and (male and female) same end and epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S12	102	"347"/\$3.ccls. and (male and female) same end and epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:56

S13	63	"347"/\$3.ccls. and (male and female) near5 end and epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:56
S14	63	"347"/\$3.ccls. and (male and female) near5 end and epoxy near (sealant or sealant or sealing or seal or adhesive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:57
S15	0	"347"/\$3.ccls. and (male and female) near5 end and epoxy near (sealant or sealant or sealing or seal or adhesive) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:57
S16	7	"347"/\$3.ccls. and (male and female) near5 end not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:59
S17	91	"347"/\$3.ccls. and (male and female) near5 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:00
S18	48	347/86.ccls. and male and female	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:27
S19	33	347/86.ccls. and male and female not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:00
S20	61	347/86.ccls. and (epoxy or polyepoxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:27
S21	10	347/86.ccls. and (epoxy or polyepoxide) near (sealant or sealant or sealing or seal or adhesive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:28

S22	2	"20050157060"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 08:46
S23	298	media near guide and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 10:09
S24	0	media near guide and gap near (orifice\$ or nozzle\$) and "347"/\$3. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 09:00
S25	32	media near guide and protect near (orifice\$ or nozzle\$) and "347"/ \$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 09:01
S26	41	media near guide and (protect\$3 or gap) near7 (orifice\$ or nozzle \$) and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 09:03
S27	4	media near guide and 347/86.ccls. and (stationary or line\$type or fixed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 09:05
S28	390	media near guide and (stationary or line\$type or fixed or page\$width) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 09:06
S29	90	media near guide and (stationary or line\$type or fixed or page\$width) not silverbrook and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 09:07
S30	52	media near guide and (stationary or line\$type or page\$width) not silverbrook and "347"/ \$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 09:07
S31	2	"20030202034"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 11:24

S32	2	"20030007042"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/04 11:25
S33	63879	"347"/\$3.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/07 10:04
S34	974	fluid adj connectors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/07 10:04
S35	0	S33 nd S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/07 10:04
S36	20	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/07 10:05
S37	2	"20050157058"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/07 12:57
S38	2	"20050157059"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/07 12:54
S39	2	"20050157075"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/07 12:58
S40	1	"20050157061"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 12:18
S41	551	ink adj fixative and (infared or infra\$red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 09:35

S42	252	ink adj fixative and (infrared or infra\$red) and "347"/\$3.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 09:39
S43	0	S42 not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 09:36
S44	0	ink adj fixative and (infrared or infra\$red) and "347"/\$3.ccls. not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 09:36
S45	2	("6281912").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/07 11:59
S46	5	("6281912" or "6439908").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/07 11:59
S47	3	"6439908".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/27 11:06
S48	2	"6281912".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/27 11:12
S49	2397	347/85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/27 11:12
S50	3	"6439908".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:37
S51	394	"347"/\$3 and (casing with remov\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:43

S52	160	"347"/\$3 and (casing with remov\$4) and silverbrook.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:39
S53	61	"347"/\$3 and (casing with remov\$4) dm. and silverbrook.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:39
S54	230	"347"/\$3 and (casing with remov\$4) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:47
S55	234	"347"/\$3 and (casing with remov\$4) not silverbrook.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:44
S56	11	"347"/\$3 and (casing with remov\$4) and (page\$width or line \$type or pagewidth or (line adj type) or (page adj length)) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:53
S57	2	"20020140954"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/15 13:53
S58	19	("6652082" "6679584" "6382769" "6672706" "5221397" "5160945" "4985710" "6017117" "6554398" "6270177"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 12:15
S59	144	10/760254	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 12:16
S60	611	"347"/\$3 and (page \$1width or pagewidth or line\$type or linetype) same (remov \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 12:30

S61	24	"347"/\$3 and (page \$1width or pagewidth or line\$1type or linetype) same (remov \$4) with mount\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 12:34
S62	326	"347"/\$3 and (page \$1width or pagewidth or line\$1type or linetype) and (remov \$4) with mount\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 12:35
S63	256	"347"/\$3 and (page \$1width or pagewidth or line\$1type or linetype) and (remov \$4) with mount\$3 with (head or print\$1head or printhead or cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 13:16
S64	2	"6281912".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 13:17
S65	243	axtell.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 13:18
S66	21	axtell.in. and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 13:22
S67	66	(axtell.in. or benjamin.in.) and "347"/\$3 and (electric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/19 13:22
S68	586	"347"/\$3 and (electrical with (circuit \$2 or connector\$1)) with end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:15
S69	167	"347"/\$3 and (electrical with (circuit \$2 or connector\$1)) with (ends or sides)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:07



S70	77	(axtell.in. or torgerson.in.) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:10
S71	147	10/760254	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:13
S72	1	"20050157061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:13
S73	224	"347"/\$3 and (electrical with (circuit \$2 or connector\$1)) with (mat\$3 or abut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:17
S74	24	"347"/\$3 and (electrical with (circuit \$2 or connector\$1)) with (mat\$3 or abut\$4) same (cas\$3 or fram \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:40
S75	3	"6439908".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:20
S76	125	"347"/\$3 and (electrical with (circuit \$2 or connector\$1)) with (mat\$3 or abut\$4 or end\$1) same (cas\$3 or fram\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:45
S77	1951	"347"/\$3 and (page \$1width or line\$1type) with (print\$head or head or cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/25 12:50
S78	19	"347"/\$3 and (page \$1width or line\$1type) with (print\$head or head or cartridge) same (terminal or (electric\$2 with end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/25 12:54

S79	2	"6557976".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/18 10:49
S80	1	"6557976".pn. and electric\$2 and power and data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/25 13:23
S81	1	"20050157061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/18 10:54
S82	2	"6443555".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/18 10:54
S83	2	"6443555".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/25 09:14
S84	2	"6443555".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/05/25 13:46
S85	3	"20020180834".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/05/25 13:17
S86	28	10/ 120351	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/05/25 13:18
S87	227	"347"/\$3 and (line \$1type or page \$1width) with (print \$1head) and (removable with print \$1head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/05/25 13:58
S88	2722	"347"/\$3 and (line \$1type or page \$1width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/05/25 13:58

S89	2377	"347"/\$3 and (line \$1type or page \$1width) with (head or print\$1head or cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/05/25 14:01
S90	3	"6439908".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/05/25 14:03
S91	2	"6443555".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/10 15:04
S92	2	"6281912".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/10 15:08
S93	2	"20020024569"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/10 15:08
S94	6	"675513".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/10 15:09
S95	2	"6755513".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/10 15:10
S96	3	"20020180834"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/10 15:11
S97	116	silverbrook.in. and (remov\$3 or replac\$5) with (head or print \$1head) with (case or casing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/11 09:03
S98	127	silverbrook.in. and (remov\$3 or replac\$5) with (head or print \$1head) with (case or casing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 09:04

S99	6	silverbrook.in. and ((remov\$3 or replac\$5) with (head or print \$1head) with (case or casing)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 09:04
S100	30	(page\$1width or line \$1type or stationary) with (head or print \$1head or cartridge) same (remov\$5 or replac\$3) with (print \$1head) with (chamber or storage or reservior or tank) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/11 10:21
S101	2	((page\$1width or line \$1type or stationary) with (head or print \$1head or cartridge) same (remov\$5 or replac\$3) with (print \$1head) with (casing)). clm. and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/11 10:22
S102	2	"6443555".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/11 10:23

3/25/2008 3:33:07 PM

C:\Documents and Settings\Imartin1\My Documents\EAST\Workspaces\10760254.wsp